

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Revision no.3

Supersedes 20/08/2007

Dated 12/6/2015 Printed on 17/02/2016

Page n. 1/10

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

CCL 3S/3L **Bottle No.1 Polish**

1.1. Product identifier Code:

Product name

CCL Traditional Gunstock Hand Polishing Kit

Original CCL Schaft-Handpolier-Set

Kit de laque de polissage pour crosse Juego

CCL para el pulido a manotradicinal

1.2. Relevant identified uses of the substance or mixture

WOOD FINISHING

Uses advised against

Anything other than the intended use.

1.3 Details of the supplier of the safety data sheet

CCL Traditional English Gun Products Ltd.,

Name

The Gun Room, Park Cottage, BentleyLane,

Upper Bentley, Redditch, B975TD,

Worcestershire, England, U.K.

e-mail address of the competent person

ccl.gunprodltd@btconnect.com

responsible for the Safety Data Sheet

Full address, district and country

+44(0)1527 550080

1.4. Emergency telephone number

For urgent inquiries refer to

Telephone No.

+44(0)1527 550080, 0900-1700 Monday to Friday, NHS 111 SERVICE (24 Hour General Public) National Emergency Telephone Number, National Poisons Information Service (24hours) 0844 8920111, Emergency Telephone Nr. in Germany +49(0)30 /19 240

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:

Flam. Liq. 2

H225

2.1.2. 67/548/EEC and 1999/45/EC Directives and following amendments and adjustments.

Danger Symbols:

R phrases:

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.



Revision no. 3

Dated 12/6/2015

Printed on 17/02/2016

Page n. 2/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

Hazardpictograms:



Signal words: Danger

Hazardstatements:

H225 Highly flammable liquid and vapour.

Precautionary statements:

P210 Keep away from heat / sparks / open flames / hot surfaces. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.

P370+P378 In case of fire: Use . . . for extinction.

2.3. Otherhazards.

Information notavailable.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 67/548/EEC. Classification 1272/2008 (CLP).

METHANOL

CAS. 67-56-1 2.5 - 3 F R11, T R23/24/25, T R39/23/24/25 Flam. Liq. 2 H225, Acute Tox. 3 H301, Acute Tox. 3 H

EC. 200-659-6 INDEX. 603-001-00-X

Note: Upper limit is not included into the range.

The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet.

T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N)

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.



Revision No. 3

Dated 12/6/2015

Printed on 17/02/2016

Page n. 3/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OFFIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

5.3. Advice for fire fighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13



Revision no. 3

Dated 12/6/2015

Printed on 17/02/2016

Page n. 4/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 fordetails.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

United Kingdom EH40/2005 Workplace exposure limits. Containing the list of workplace exposure

limits for use with the Control of Substances Hazardous to Health Regulations(as

amended).

Éire Code of Practice Chemical Agent Regulations 2011.

OEL EU Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive

2000/39/EC.

TLV-ACGIH ACGIH 2012

METHANOL

Threshold LimitValue. Type	Country	TWA/8h	TWA/8h				
		mg/m3	ppm	mg/m3	ppm		
TLV-ACGIH		262	200	328	250		
OEL	EU	260	200			SKIN	
OEL	IRL	260	200			SKIN	
WEL	UK	266	200	333	250	SKIN	

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.



Revision no. 3

Dated 12/6/2015

Printed on 17/02/2016

Page n. 5/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, wear a mask with a type AX filter, whose limit of use will be defined by the manufacturer (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance liquid

Colour straw-coloured

Odour characteristic of solvent

Odour threshold. Not available. Not available. Melting point /freezing point. Not available. Initial boiling point. > 35 °C. Not available. Boiling range. Flash point. < 23 °C. Evaporation rate Not available. Flammability (solid, gas) Not available. Lower inflammability limit. Not available.



Revision no. 3

Dated 12/6/2015

Printed on 17/02/2016

Page no. 6/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

Upper inflammability limit. Not available. Lower explosive limit. Not available. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available. Relative density. 0.858 Kg/l Solubility Not available. Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Decomposition temperature. Not available. Not available. Viscosity Explosive properties Not available. Oxidising properties Not available

9.2. Otherinformation.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid.

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

${\bf 11.1.}\,In formation\,on\,toxicological\,effects.$

METHANOL: The minimal lethal dose following ingestion is considered to be in the range of 300-1000 mg/kg. Ingestion of as little as 4-10 ml methanol in adults may cause permanent blindness (IPCS).



Revision no. 3

Dated 12/6/2015

Printed on 17/02/2106

Page n. 7/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility insoil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Avoid littering. Do not contaminate soil, sewers and waterways.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

These goods must be transported by vehicles authorized to the carriage of dangerous goods according to the provisions set out in the current edition of the Code of International Carriage of Dangerous Goods by Road (ADR) and in all the applicable national regulations. These goods must be packed in their original packagings or in packagings made of materials resistant to their content and not reacting dangerously with it. People loading and unloading dangerous goods must be trained on all the risks deriving from these substances and on all actions that must be taken in case of emergency situations.

Continued next page:

Revision no. 3

Dated 12/6/2015 Printed on 17/02/2016

1263

Page no. 8/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

UN:

Bottle No.1 Polish

Road and rail transport:

ADR/RID Class:

П Packing Group: Label: 3 Nr. Kemler: 33 Limited Quantity. 5 L Tunnel restriction code. (D/E)

Proper Shipping PAINT or PAINT RELATEDMATERIAL

3

Name:

Carriage by sea(shipping):

IMO Class: 3 UN: 1263

Packing Group: Ш Label: 3

F-E , EMS: S-E

Marine Pollutant.

Proper Shipping Name: PAINT or PAINT RELATEDMATERIAL

Transport by air:

3 UN: 1263

Ш Packing Group: Label: 3

Cargo:

364 60 L Packaging instructions: Maximum quantity:

Pass.:

Packaging instructions: 353 Maximum quantity: 5 L

Special Instructions: A3, A72, A192

Proper Shipping Name: PAINT or PAINT RELATEDMATERIAL

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

7b Seveso category.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

Product.

3 - 40 Point.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIVREACH).

None.



Revision no 3

Dated 12/6/2015 Printed on 17/02/2016

Page n. 9/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT Bottle No.1 Polish

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not Available

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2 Acute Tox. 3 Acute toxicity, category 3

STOT SE 1 Specific target organ toxicity - single exposure, category 1

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H370 Causes damage to organs.

Text of risk (R) phrases mentioned in section 2-3 of the sheet:

R11 HIGHLY FLAMMABLE.

R23/24/25 TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED. R39/23/24/25 TOXIC: DANGER OF VERY SERIOUS IRREVERSIBLE EFFECTS THROUGH

INHALATION, IN CONTACT WITH SKIN AND IFSWALLOWED.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No EffectLevel

Revision no 3

Dated 12/6/2015

Printed on 17/02/2016

Page no. 10/10

CCL TRADITIONAL GUNSTOCK HAND POLISHING KIT

Bottle No.1 Polish

- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration50%
- LD50: Lethal dose50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold LimitValue
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes(German).

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament Regulation (EC) 453/2010 of the European Parliament
- Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
- 8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
- 9. The Merck Index. 10th Edition
- Handling Chemical Safety 10.
- Niosh Registry of Toxic Effects of Chemical Substances 11.
- 12. INRS - Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology 13
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition 14
- 15. ECHA website

Notes for users.

The information contained in this data sheet is provided in accordance with the requirements of the Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) The product should not be used for purposes other than those shown in Section 1.2. As the specific conditions of use are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present knowledge and the current EC and UK Legislation. It provides guidance on safe handling, use, processing, storage, transportation, disposal, release and environmental aspects of the product and should not be taken as a product specification or warranty. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text or in the instructions for use accompanying the product. Users should read and understand the product instructions for use and those using quantities for commercial work should be given adequate training on how to use chemical products. DISCLAIMER: The company supplying this data sheet shall not be held liable for any damage resulting from handling or from contact with the above product.

Date supplied: 06/11/2019